

Historic, Archive Document

Do not assume content reflects current
scientific knowledge, policies, or practices.

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
JANUARY 1966

U. S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY

MAR 26 1966

MARCH 4, 1966
MARSHALL ISLANDS

Inspected Poultry - A total of 670,160,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during January 1966 under the Poultry Inspection Act carried on by the U.S.D.A. This was 21 percent less than the previous month but 3 percent more than January 1965.

The number of head and pounds (live weight) inspected by classes in January 1966 were young chickens, 161,390,000 head, 566,941,000 pounds; mature chickens, 12,666,000 head, 56,927,000 pounds; fryer-roaster turkeys, 731,000 head, 6,625,000 pounds; young turkeys, 1,483,000 head, 37,705,000 pounds; old turkeys, 29,000 head, 578,000 pounds; and ducks, 229,000 head, 1,384,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in January 1966 totaled 480,733,000 pounds ready-to-cook weight of which 395,259,000 pounds were chilled and 85,474,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 406,976,000 pounds; mature chickens, 37,158,000 pounds; fryer-roaster turkeys, 5,169,000 pounds; young turkeys, 29,879,000 pounds; old turkeys, 465,000 pounds; ducks, 1,003,000 pounds, and other poultry, 83,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in January 1966 totaled 68,926,000 pounds ready-to-cook weight, compared with 57,501,000 pounds in January 1965. The quantity used in January 1966 consisted of 11,258,000 pounds of young chickens, 28,588,000 pounds of mature chickens, 24,552,000 pounds of turkeys, and 4,528,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during January 1966 totaled 92,451,000 pounds ready-to-cook weight compared with 82,988,000 pounds in January 1965. The breakdown by classes for January 1966 consisted of 84,615,000 pounds of young chickens, 970,000 pounds of mature chickens, 6,809,000 pounds of turkeys, and 57,000 pounds of other poultry.

Ante-mortem condemnations amounted to 1,886,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.26 percent; mature chickens, 0.54 percent; fryer-roaster turkeys, 0.26 percent; young turkeys, 0.23 percent; old turkeys, 0.31 percent.

Post-mortem condemnations in January 1966 amounted to 22,248,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 3.78 percent; mature chickens, 3.87 percent; fryer-roaster turkeys, 1.53 percent; young turkeys, 2.69 percent; old turkeys, 1.74 percent; and ducks, 1.28 percent.

Poultry: Slaughtered under Federal Inspection, January 1966 with comparisons

Class	Number inspected		Pounds inspected (live weight)				Average live weight			
	January		December		January		December		January	
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966
	Thou.	Thou.	Thou.	Thou.	pounds	pounds	pounds	pounds	Pounds	Pounds
Young chickens	164,758	155,400	161,390	585,964	549,518	566,941	3.56	3.54	3.51	
Mature chickens	13,847	14,126	12,666	65,461	63,120	56,927	4.73	4.47	4.49	
Total chickens	178,605	169,526	174,056	651,425	612,638	623,868	3.65	3.61	3.58	
Fryer-roasters	1,610	610	731	14,603	5,360	6,625	9.07	8.79	9.06	
Young turkeys	8,240	1,264	1,483	177,340	33,557	37,705	21.52	26.55	25.42	
Old turkeys	34	13	29	651	265	578	19.15	20.38	19.93	
Total turkeys	9,884	1,887	2,243	192,594	39,182	44,908	19.49	20.76	20.02	
Ducks	505	181	229	3,125	1,110	1,384	6.19	6.13	6.04	
Other poultry	---	---	---	522	185	155	---	---	---	
Total poultry	---	---	---	847,666	653,115	670,315	---	---	---	

1/ Of the mature chickens inspected, the number of birds reported in thousands as broiler breeding stock was: December 1965, 2,440; January 1966, 1,469; and January 1966, 1,431. 2/ Of the young turkeys inspected, the number of birds reported in thousands as young banded breeder turkeys was: December 1965, 44; January 1966, 9; and January 1966, 26.

Pounds certified (ready-to-cook weights)

Class	December 1965			January 1965			January 1966		
	Chilled	Frozen	Total	Chilled	Frozen	Total	Chilled	Frozen	Total
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	365,325	56,122	421,447	349,604	46,376	395,980	358,519	48,457	406,976
Mature chickens	31,772	11,743	43,515	28,855	13,003	41,858	27,867	9,291	37,158
Total chickens	397,097	67,865	464,962	378,459	59,379	437,838	386,386	57,748	444,134
Fryer-roasters	2,722	8,703	11,425	676	3,466	4,142	942	4,227	5,169
Young turkeys	44,293	96,271	140,564	6,601	20,254	26,855	7,698	22,181	29,879
Old turkeys	80	441	521	20	188	208	126	339	465
Total turkeys	47,095	105,415	152,510	7,297	23,908	31,205	8,766	26,747	35,513
Ducks	242	1,995	2,237	130	654	784	103	900	1,003
Other poultry	51	287	338	1	96	97	4	79	83
Total poultry	444,485	175,562	620,047	385,887	84,037	469,924	395,259	85,474	480,733

Poultry: Condemnations of poultry slaughtered under Federal Inspection, January 1966 with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations			
	Pounds (live weight)		Percent 1/		Pounds (N.Y. dressed wt.)		Percent 2/	
	1965	1966	1965	1966	1965	1966	1965	1966
Young chickens	1,000	1,000			1,000	1,000		
Mature chickens	1,249	1,474	0.23	0.26	15,954	19,248	3.23	3.78
Total chickens	286	306	.45	.54	1,946	1,971	3.44	3.87
	1,535	1,780	.25	.29	17,900	21,219	3.25	3.79
Fryer-roasters	17	17	.32	.26	65	91	1.35	1.53
Young turkeys	74	87	.22	.23	607	912	2.01	2.69
Old turkeys 3/	---	2	---	.31	11	9	4.62	1.74
Total turkeys	91	106	.23	.24	683	1,012	1.94	2.51
Ducks 3/	---	---	---	---	13	16	1.30	1.28
Other poultry 3/	---	---	---	---	1	1	.60	.72
Total	1,626	1,886	.25	.28	18,597	22,248	3.17	3.70

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds or 500 head.

Poultry: Inspected for canning and other processed foods, January 1966 with comparisons 1/

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight			
	December		January		December		January	
	1965	1966	1965	1966	1965	1966	1965	1966
Young chickens	1,000	1,000			1,000	1,000		
Further processed	12,321	10,809						
Cut up	89,541	75,926			35	12	30	---
Mature chickens					---	---	---	---
Further processed	27,227	25,867			12	12	5	---
Cut up	1,026	1,351			---	---	---	---
Turkeys								
Further processed	28,789	16,794			3	5	11	---
Cut up	10,231	5,642			---	---	---	---
Other poultry 2/								
Further processed	3,520	4,031			3	0	2	---
Cut up	46	69			---	---	---	---
Total								
Further processed	71,857	57,501			53	29	48	---
Cut up	100,844	82,988			---	---	---	---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Number condemned post-mortem by cause, by regions and selected States, January 1966

Region and State	Tuber- culosis:		Leu- kosis		Septi- cemia		Airsac- culitis		Syno- vitis		Tumors		Bruises		Cadaver inflation		Contam- ination		Over- scald		Other		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	---	144,273	100,586	142,275	14,486	1,001	1,905	9,086	12,423	1,266	16,414	443,715												
E. N. Cent.	---	3,800	13,033	31,844	1,416	411	1,012	1,502	3,255	138	921	57,332												
W. N. Cent.	---	14,047	33,039	136,123	13,987	232	1,161	3,118	2,892	165	3,371	208,135												
S. Atl.	---	695,521	461,515	1,109,745	70,857	5,255	21,563	61,845	101,607	5,839	76,228	2,609,975												
S. Cent.	---	273,916	407,446	1,290,971	90,499	8,211	24,687	71,389	78,686	4,044	84,073	2,333,922												
West	---	23,511	30,903	99,384	2,612	562	1,641	1,652	3,323	753	13,542	177,883												
U.S.	---	1,155,068	1,046,522	2,810,342	193,857	15,672	51,969	148,592	202,186	12,205	194,549	5,830,962												
Maine	---	---	---	---	---	---	---	---	---	---	---	---												
Pa.	---	52,314	38,348	33,759	8,913	379	836	4,298	4,127	217	3,302	146,493												
Ohio	---	86,516	53,817	103,790	3,817	510	745	3,370	6,658	1,000	11,554	271,777												
Ind.	---	526	969	806	26	20	36	148	514	9	209	3,263												
Ill.-Mich. 1/	---	1,504	3,042	7,126	1,021	22	300	827	1,232	71	288	15,433												
Wis.	---	230	618	38	3	202	10	37	69	1	110	1,318												
Mo.	---	1,540	8,404	23,874	366	167	666	490	1,440	57	314	37,318												
Del.	---	13,120	31,096	134,345	13,924	125	873	3,066	2,352	156	3,107	202,164												
Md.	---	131,858	37,682	150,381	5,948	368	1,026	3,858	6,279	146	6,636	344,182												
Va.	---	172,064	74,676	206,025	11,655	884	1,760	7,006	7,568	757	4,230	486,625												
N. C.	---	34,353	30,196	36,710	1,786	39	526	1,669	2,607	95	406	108,387												
S. C.	---	112,963	157,743	348,001	24,802	1,423	8,173	22,592	34,209	3,226	21,159	734,291												
Ga.	---	51,238	15,486	28,484	2,306	91	689	1,697	3,505	260	1,968	105,724												
Tenn.	---	190,476	140,020	315,221	23,219	2,386	9,141	24,008	46,279	1,196	39,948	791,894												
Ky.	---	2,865	6,973	19,443	392	109	536	1,227	1,731	190	4,023	37,489												
Ala.	---	17,000	22,971	55,153	9,033	180	952	3,611	6,406	19	13,052	128,377												
Miss.	---	39,626	89,349	296,735	14,970	2,020	3,992	17,849	15,994	774	11,707	493,016												
Ark.	---	34,164	36,606	232,391	9,547	1,335	5,198	12,375	14,477	128	13,107	359,328												
La.-Okla. 1/	---	143,541	152,792	424,035	20,676	2,085	6,467	21,793	24,013	1,389	19,942	816,733												
Texas	---	14,719	29,355	59,597	10,959	566	1,844	2,998	3,655	364	2,483	126,540												
Idaho	---	22,001	69,400	203,617	24,922	1,916	5,698	11,536	12,410	1,180	19,759	372,439												
Wash.	---	1,897	2,660	2,870	25	20	413	104	429	139	621	9,178												
Calif.	---	247	4,025	3,725	535	70	196	406	196	51	2,584	12,035												
	---	20,617	20,873	91,415	2,049	431	816	1,085	2,201	505	9,458	149,450												

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, January 1965 and 1966

Region and State	Number inspected	Pounds		Average live weight		Total pounds certified		Pounds (NYD)		Post-mortem condemnations	
		1965	1966	1965	1966	1965	1966	1965	1966	Percent	Percent
		1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	Percent	Percent
N. Atl.	Thou.	Thou.	1,820	10,576	8,973	6,970	5,870	203	211	2.62	2.81
E. N. Cent.	2,165	1,677	8,957	4.14	4.22	5,949	4,617	206	178	2.57	2.81
W. N. Cent.	2,555	2,304	10,856	4.25	4.40	7,156	6,647	368	357	3.78	3.94
S. Atl.	3,203	2,859	15,169	4.74	4.93	10,172	9,218	520	498	3.82	3.94
S. Cent.	2,448	2,567	10,696	4.37	4.24	7,152	7,110	370	464	3.87	4.77
West	1,584	1,439	6,866	4.33	4.01	4,459	3,696	279	263	4.53	5.09
U. S.	14,126	12,666	63,120	4.47	4.49	41,858	37,158	1,946	1,971	3.44	3.87
Maine	358	337	2,119	5.92	6.07	1,518	1,467	42	40	2.19	2.14
N. J.	1,010	924	4,212	4.17	4.22	2,579	2,407	87	112	2.29	3.18
Pa.	468	380	2,470	5.28	5.51	1,610	1,348	44	41	2.00	2.20
Ohio	845	471	3,503	4.15	4.15	2,311	1,247	84	65	2.69	3.69
Ind.	723	613	3,030	4.19	4.28	2,001	1,736	80	43	2.95	1.83
Ill.	324	482	1,987	4.02	4.12	882	1,285	15	54	1.34	3.05
Wis.	267	89	1,096	4.10	4.80	753	291	27	13	2.73	3.46
Minn.	953	760	3,802	3.99	3.96	2,464	1,920	154	150	4.55	5.59
Mo.	882	947	4,312	4.89	5.13	2,916	3,279	107	119	2.77	2.74
Del. 3/ 4/	1	---	10	7.56	---	7	---	---	---	---	---
Md.	502	510	2,038	4.06	4.08	1,357	1,394	48	62	2.60	3.39
Va.	485	237	2,229	4.59	5.21	1,523	843	51	33	2.57	2.91
N. C.	961	736	5,006	5.21	5.81	3,405	2,824	166	150	3.69	3.90
S. C. 4/	9	---	70	7.45	---	50	---	2	---	3.38	---
Ga.	1,042	1,115	5,005	4.80	4.79	3,333	3,460	187	214	4.16	4.47
Ky. 4/	111	---	465	4.20	---	317	---	14	---	3.53	---
Tenn.	230	376	1,001	4.35	4.29	721	1,091	34	56	3.75	3.89
Ala.	51	53	333	6.58	6.49	238	250	8	12	2.66	3.98
Miss.	1,319	1,239	5,238	3.97	3.98	3,434	3,273	163	195	3.48	4.45
Ark.	216	77	1,352	6.27	6.84	947	366	37	16	2.99	3.32
La.-Okla. 5/	138	264	639	4.63	4.37	431	727	29	42	5.06	4.06
Texas	383	558	1,668	4.35	4.15	1,064	1,403	85	143	5.67	6.89
Idaho	37	10	168	4.58	3.89	114	26	6	2	4.38	4.52
Wash.	137	128	577	4.22	4.37	377	358	17	19	3.24	3.79
Calif.	1,314	1,203	5,733	4.36	3.97	3,707	3,050	245	230	4.75	5.38

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

5/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, January 1966

Region and State	Tuber- culosis		Leu- kosis		Septi- cemia		Airsac- culitis		Syno- vitis		Tumors: Bruises		Cadaver: : ination:		Contam-: Over- : scald		Other		Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.		
N. Atl.	131	3,506	24,300	123	522	6,985	489	2,810	2,825	198	15,197	57,086							
E. N. Cent.	2,056	6,465	22,041	150	80	11,503	1,087	2,068	4,152	124	3,200	52,926							
W. N. Cent.	8,864	11,457	41,182	644	202	15,033	1,525	1,411	5,186	383	16,297	102,184							
S. Atl.	20	7,849	60,966	726	3,325	20,132	1,795	3,806	12,960	204	14,712	126,495							
S. Cent.	14	25,601	48,115	372	1,403	25,597	1,587	5,227	8,531	535	13,837	130,619							
West	---	1,206	40,533	104	261	17,097	1,325	669	3,250	97	14,692	79,234							
U. S.	11,085	56,084	237,137	2,119	5,793	96,147	7,808	15,991	36,904	1,541	77,935	548,544							
Maine	---	573	5,096	17	142	1,143	37	162	601	24	61	7,856							
N. N. J.	89	1,737	9,905	62	157	4,768	330	2,270	1,151	104	13,952	34,525							
Pa.	5	920	7,110	42	43	739	113	165	953	12	591	10,693							
Ohio	327	2,140	7,298	1	17	3,126	338	750	2,419	62	2,358	18,836							
Ind.	371	1,598	4,336	11	47	4,062	527	595	1,046	17	233	12,843							
Ill.	1,111	2,264	7,725	2	4	3,771	170	484	454	41	196	16,222							
Wis.	243	417	2,147	136	12	183	41	219	198	2	413	4,011							
Minn.	4,203	2,143	14,293	52	26	9,585	603	295	2,900	324	9,475	43,899							
Mo.	606	3,048	17,302	188	71	2,269	481	1,026	1,277	39	2,167	28,474							
Md.	20	1,446	8,017	419	1,112	503	229	1,381	1,098	69	730	15,024							
Va.	---	410	5,548	15	124	1,340	102	132	482	5	13	8,171							
N. C.	---	3,447	18,376	127	767	3,805	482	940	6,046	34	1,340	35,364							
Ga.	---	1,320	25,443	132	1,111	12,462	711	1,189	4,352	86	10,450	57,256							
Tenn.	---	608	6,913	28	227	2,662	119	340	1,780	48	1,179	13,904							
Ala.	---	105	1,339	2	42	143	16	104	459	---	70	2,280							
Miss.	---	1,523	19,073	92	565	21,452	968	4,134	3,774	57	5,412	57,050							
Ark.	---	100	1,453	148	91	75	26	35	246	34	270	2,478							
La.-Okla. 1/	1	1,224	8,638	48	114	555	156	274	782	7	1,139	12,938							
Texas	---	22,041	10,693	53	364	509	302	340	1,489	389	5,767	41,947							
Idaho	---	22	245	---	---	105	5	1	47	---	4	429							
Wash.	---	313	1,892	---	10	352	122	34	140	4	2,171	5,038							
Calif.	---	679	35,943	101	250	16,400	1,119	518	2,706	80	12,033	69,829							

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, January 1965 and 1966

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
		1965	1966	1965	1966	1965	1966	1965	1966
	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	Pounds (NYD)	Percent
N. Atl.	121	3,635	2,589	30.04	28.45	3,001	2,052	15	0.46
E. N. Cent.	56	1,364	1,884	24.36	20.48	1,090	1,458	18	1.47
W. N. Cent.	137	3,335	4,037	24.34	20.70	2,695	3,201	42	1.40
S. Atl.	179	3,963	5,447	22.14	22.42	3,067	4,260	136	3.82
S. Cent.	97	2,745	7,010	28.30	28.97	2,174	5,425	41	1.66
West	674	18,515	16,738	27.47	27.00	14,828	13,483	355	2.14
U. S.	1,264	33,557	37,705	26.55	25.42	26,855	29,879	607	2.01
Pa.	107	3,297	2,478	30.94	28.94	2,718	1,967	11	.37
Ohio	22	542	262	25.19	19.73	461	214	6	.86
Ill.-Mich. 3/ 4/	28	---	687	---	24.54	---	504	---	60
Wis. 4/	50	---	917	---	18.51	---	729	---	20
Minn. 4/	78	1,187	1,180	20.51	15.21	953	943	15	1.41
Iowa 4/	51	---	1,344	---	26.39	---	1,060	---	29
Mo.	41	274	825	30.44	20.12	231	655	2	.81
1 Va.	99	1,019	2,475	22.47	25.00	774	1,905	18	1.91
2 N. C.	108	2,571	2,662	23.86	23.86	2,002	2,108	112	4.88
1 S. C. 4/	5	120	---	26.65	---	97	---	1	1.16
Ark.	29	698	669	23.70	29.84	540	547	15	2.47
Texas	62	1,880	6,167	30.30	28.85	1,501	4,736	25	1.45
Utah 4/	21	512	---	24.65	---	412	---	---	1.16
Calif.	644	17,747	16,069	27.57	27.12	14,207	12,941	348	2.19

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States. January 1966

Region and State	Tuber- culosis	Leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver	Contam- ination	Over- scald	Other	Total
No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	20	116	101	13	---	11	6	37	---	19	323
E. N. Cent.	---	11	1,992	2,342	6	1	17	21	152	3	12	4,557
W. N. Cent.	---	14	2,567	1,631	454	17	62	46	101	57	34	4,983
S. Atl.	---	16	2,322	1,575	212	15	23	117	238	---	25	4,543
S. Cent.	---	91	1,906	6,604	2,602	57	49	74	468	---	1,508	13,359
West	---	48	4,599	4,985	1,210	11	84	73	276	660	70	12,016
U. S.	---	200	13,502	17,238	4,497	101	246	337	1,272	720	1,668	39,781
Pa.	---	20	96	101	13	---	6	6	10	---	2	254
Ohio	---	5	15	14	5	---	6	7	11	---	7	70
Ill.-Mich. 1/	---	---	1,850	1,186	1	---	5	5	41	2	5	3,095
Wis.	---	6	125	829	---	1	6	9	100	1	---	1,077
Minn.	---	---	658	927	11	1	25	14	43	6	3	1,688
Iowa	---	6	660	206	102	10	13	2	31	1	5	1,036
Mo.	---	4	543	422	340	---	8	26	25	50	26	1,444
Va.	---	---	1,658	1,137	92	1	18	57	43	---	---	3,006
N. C.	---	16	500	416	120	9	5	58	184	---	24	1,332
Ark.	---	---	209	142	8	3	---	1	4	---	4	371
Texas	---	87	1,604	6,438	2,587	54	49	71	463	---	1,504	12,857
Calif.	---	48	4,448	4,949	1,124	8	58	71	264	660	70	11,700

1/ Combined to avoid disclosure of individual operations.

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, January 1965 and 1966

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	Percent	Percent 2/
N. Atl. 3/	Thou.	Thou.	1,000	1,000	Pounds	Pounds	1,000	1,000	pounds	pounds	Percent	Percent
E. N. Cent.	---	10	---	89	---	8.59	---	---	---	2	---	2.88
W. N. Cent.	79	106	724	1,062	9.16	10.02	568	832	9	23	1.39	2.41
S. Atl.	319	398	2,834	3,620	8.88	9.10	2,242	2,895	26	41	1.02	1.26
S. Cent.	118	128	1,040	1,125	8.81	8.79	745	831	24	22	2.57	2.18
West 3/	35	74	289	612	8.26	8.27	216	455	2	3	.77	.54
	59	15	473	117	8.02	7.80	371	92	4	---	.94	---
U. S.	610	731	5,360	6,625	8.79	9.06	4,142	5,169	65	91	1.35	1.53
Ohio	18	33	162	364	9.22	11.14	124	290	5	4	3.36	1.02
Wis.	---	62	---	598	---	9.59	---	473	---	8	---	1.38
Minn.	306	385	2,723	3,509	8.91	9.11	2,152	2,807	25	41	1.02	1.32
Va.	106	100	939	859	8.89	8.57	665	627	22	21	2.65	2.71
Calif. 4/	43	---	337	---	7.83	---	262	---	3	---	1.09	---

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, January 1966

Region and State	Tuber- culosis	Leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver	Contam- ination	Over- scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	147	14	1	---	2	32	59	---	---	255
E. N. Cent.	---	5	538	1,396	8	---	19	35	279	2	7	2,289
W. N. Cent.	---	9	2,386	1,131	41	1	43	120	549	21	29	4,330
S. Atl.	---	---	1,806	515	17	---	20	87	296	9	8	2,758
S. Cent.	---	---	122	8	19	1	12	55	90	1	28	336
West	---	1	78	10	---	1	2	1	30	4	---	127
U. S.	---	15	5,077	3,074	86	3	98	330	1,303	37	72	10,095
Ohio	---	2	222	3	2	---	7	13	122	---	7	378
Wis.	---	3	303	152	6	---	11	17	156	2	---	650
Minn.	---	9	2,384	1,131	41	1	43	118	549	20	23	4,319
Va.	---	---	1,732	353	14	---	14	73	286	9	7	2,488

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, January 1965 and 1966

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
		1965	1966	1965	1966	1965	1966	1965	1966
	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	Pounds (NYD)	Percent 2/
N. Atl. 3/	---	---	---	---	---	---	---	---	---
E. N. Cent.	4	10	87	19.66	20.05	69	158	2	1.90
W. N. Cent.	3	7	69	23.00	21.14	56	117	3	3.22
S. Atl.	2	9	51	24.82	19.70	38	144	3	8.61
S. Cent. 3/	---	---	---	---	40.04	---	7	---	---
West	4	3	58	14.24	16.83	45	39	1	5.69
U. S.	13	29	265	20.38	19.93	208	465	11	4.62
Minn.	3	3	63	18.10	17.87	51	36	2	3.20
									7.19

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, January 1966

Region and State	Tuber- culosis	Leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver	Contam- ination	Over- scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	---	---	---	---	---	---	---	---	---	---
E. E. Cent.	---	5	49	11	---	---	2	3	1	---	---	72
W. N. Cent.	---	---	98	24	30	---	1	2	1	---	1	164
S. Atl.	---	---	63	16	4	---	---	5	7	1	5	104
S. Cent.	---	---	---	1	---	---	---	---	1	---	1	3
West	---	---	40	3	2	---	---	1	---	---	---	46
U. S.	---	5	250	55	36	3	3	11	16	3	7	389
Minn.	---	---	85	16	25	---	---	2	6	1	1	136

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

OFFICIAL BUSINESS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.